

Live Better



YORK

FURNISHING FABRICS SINCE 1988

FOREST
DRAPERY HARDWARE



MANUAL
OPERATION



HOTEL
TRACK

FOREST CS® *Contract System*

Heavy duty hand drawn curtain track system for medium and heavy draperies.

THE WORLD
BEHIND
YOUR
CURTAINS




FOREST CS®



PRODUCT INFORMATION

- Heavy duty hand drawn system for medium and heavy draperies.
- Bendable; it can be curved and reversed curved using a 20 cm (8") radius or continuous curve.
- Heavy duty clickable carriers - 10 carriers on a breakaway strip - UV protected. Can also be used with ball bearing carriers.
- Ideal for use with overlap masters and batons which can be mounted behind or in front of draperies.
- Can also be used for the Forest Wave System (FES) and accordiafold drapery systems.
- Maximum fabric weight: 15 kg per mtr (11,25 LBS per ft).
- Colours available: white, black and grey.
- Track finish: High quality aluminium, powder coated with a factory applied patented dry lubricant.
- Available lengths: 3.66 m (12'), 4.27 m (14'), 4.88 m (16'), 6.10 m (20').
- Warranty: 10 years


- 1 CS Track
- 2 Carrier
- 3 Master Carrier R/L Overlap
- 4 Master Carrier R/L Underlap
- 5 Ball bearing carrier
- 6 Endcap with screw






BENDING / CURVING

The track can be curved and reversed curved using a 20 cm (8") radius. Continuous curving is also possible with the electrical bending tool.




PROFILE

- Weight: 235 gram p. mtr (2.53 ounce - ft) • Aluminium Extrusion
- Dimensions: 20 mm x 20 mm (0,8" x 0,8")




FOR USE IN

Hotels - Motels - offices - schools - healthcare residential or at any location where a heavy duty hand drawn system is required.




Easy installation
click - position - tighten




clickable carrier

38 mm (1,5")

APPLICATIONS




CLICK-ON STIFFENER




For applications where the curtains are treated very roughly, the stiffener is a sustainable solution. The stiffener makes curtains more robust and ensures that curtains last longer. Especially useful for hotels.

MOUNTING BRACKETS


Smart Klick Ceiling bracket



A) Min. 20 cm (8'')




A) Min. 20 cm (8'')



Other brackets are available. Brackets need to be placed every 60 cm (24'').


SK Aluminium Wall bracket single

- A) 7,5 cm (3'') B) 6,3 cm (2,5'')
 A) 10 cm (4'') B) 8,8 cm (3,5'')




SK Aluminium Wall bracket double

- A) 15 cm (6'') B) 9,2 cm (3,6'') C) 4,5 cm (1,8'') B)
 A) 20 cm (8'') 9,2 cm (3,6'') C) 9,5 cm (3,7'')


























SK Aluminium Wall bracket triple









- A) 25 cm (10'')






Brackets need to be placed every 50 - 60 cm (20''), depending on fabric weight.

CS	ARTICLE	PACKING UNIT		ART.NR
•	 <p>CS TRACK WHITE Extruded aluminium chromated, powder coating, factory lubricated.</p> <p>CS TRACK GREY Extruded aluminium chromated, powder coating, factory lubricated</p> <p>CS TRACK BLACK Extruded aluminium chromated, powder coating, factory lubricated.</p>	<p>10/bundle</p> <p>10/bundle</p> <p>10/bundle</p>	<p>3,66 meter (12') 4,27 meter (14') 4,88 meter (16') 6,10 meter (20')</p> <p>4,88 meter (16') 6,10 meter (20')</p> <p>6,10 meter (20')</p>	<p>2501001366 2501001427 2501001488 2501001610</p> <p>2501003488 2501003610</p> <p>2501006610</p>
•	 <p>CS/CCS/FMS TRACK CONNECTOR Used to make a solid connection between two pieces of track.</p>	10/box	white grey black	2518401000 2518403000 2518406000
•	 <p>CS ENDCAP UNIVERSAL LONG WITH SCREW</p>	100/box	white silver black	2516400000 2516403000 2516406000
•	 <p>CS ENDCAP UNIVERSAL SHORT WITH SCREW</p>	100/box	white grey black	2516401001 2516403001 2516406001
•	 <p>CS / CCS AS CARRIER "Clickable", offset, constructed of UV-resistant plastic. 10 Carriers on a break-away strip. Can be clicked in after</p>	250/box	white silver black	2510101000 2510103000 2510106000
•	 <p>CS STOPCARRIER Clickable.</p>	100/box	white grey	2510201000 2510203000
•	 <p>CS / CCS CARRIER AS WITH HOOK Clickable.</p>	100/box	white grey	2510501000 2510503000
•	 <p>CS ECONOMY SLIDE Can turn in the track.</p>	500/box x 500/box x	white black	2510601000 2510606000
•	 <p>CS BALL BEARING CARRIER 20MM CS BALL BEARING CARRIER 20MM CS BALL BEARING CARRIER 16MM SMALL CS BALL BEARING CARRIER 16MM SMALL CS BALL BEARING CARRIER 25MM LARGE</p>	100/box	white black white black	2512000000 2512006000 2512000016 2512006016 2512100000
•	 <p>CS UNDERLAP CARRIER R/L</p>	25/box	white	2514600000
•	 <p>CS OVERLAP CARRIER R/L</p>	25/box	white	2514700000

CS	ARTICLE	PACKING UNIT	ART.NR
•	 CS MASTER CARRIER BASE R/L WHITE	25/box	white 4814500000
•	 PROLONGED OVERLAP ARM 150MM R/L FOR CLICK-ON STIFFNER	15/box	9500001010
•	 STIFFNER "CLICK-ON"	15/box	5116001001
•	 Z-ARM UNIVERSAL 175MM R/L	15/box	white 9500001030
•	 FMS EASYFLEX CURVED ARM R/L WHITE	15/box	Pc. 5135901020
•	 MTS SUSPENSION CEILING BRACKET Length: 10 cm (4") - 100 cm (40") Complete with MTS Insert Screw and MTS Top Piece	1/each	white 4518201000
	MTS SUSPENSION CEILING BRACKET 1,50 MTR WHITE Length: 100 cm (40") - 150 cm (59") Complete with MTS insert screw and MTS Top Piece	1/each	white black 4518201500 4518206150
	MTS SUSPENSION CEILING BRACKET 2,00 MTR WHITE Length: 200 cm (78") Complete with MTS insert screw and MTS Top Piece	1/each	white 4518202000
•	 SUSPENSION BRACKET CLIP FOR KS For CS, to be used in combination with the MTS Suspension Ceiling Bracket.	50/box	white black 1016901000 1016906000
•	 SMART KLICK CEILING BRACKET INCL COVER CAP "Klicks" onto track, powder coated.	100/box	white grey black 1018201001 1018203001 1018206001
•	 SUSPENDED CEILING BRACKET, METAL For installation on to a suspended ceiling. The track can be fixed in any angle.	25/box	4519001000
•	 SMART KLICK CEILING BRACKET DOUBLE LONG Distance between two tracks: 90 mm (3,5")	30/box	white 1018601000
	SMART KLICK CEILING BRACKET DOUBLE SHORT		1018611000
•	 KS ADJUSTABLE WALL BRACKET, SINGLE	100/box	white grey 1020801115 1020803115
•	 KS ADJUSTABLE WALL BRACKET, DOUBLE	50/box	white grey 1020801195 1020803195

CS	ARTICLE	PACKING UNIT		ART.NR	
●		SMART KLICK ALUMINIUM WALL BRACKET 7,5 cm	20/box	white grey black	1020301075 1020303075 1020306075
		SMART KLICK ALUMINIUM WALL BRACKET 10 cm	20/box	white grey black	1020301100 1020303100 1020306100
		SMART KLICK ALUMINIUM WALL BRACKET 15 cm	15/box	white grey black	1020301150 1020303150 1020306150
		SMART KLICK ALUMINIUM WALL BRACKET 20 cm	15/box	white grey black	1020301200 1020303200 1020306200
		SMART KLICK ALUMINIUM WALL BRACKET 25 cm	10/box	white grey black	1020301250 1020303250 1020305250
●		COVER CAP FOR SMART KLICK ALUMINIUM WALL BRACKET	50/box	white grey black	1021301000 1021303000 1021306000
●		FLICKSTICK FIBERGLASS	50/box	92 cm 122 cm 152 cm	1065101092 1065101122 1065101152
		FLICKSTICK TRANSPARENT	50/box	92 cm 122 cm 152 cm	1065102092 1065102122 1065102152
		FLICKSTICK WHITE ALUMINIUM	50/box	92 cm 122 cm 152 cm 202 cm	1065111092 1065111122 1065111152 1065111202
		FLICKSTICK SILVER ALUMINIUM	50/box	92 cm 122 cm 152 cm	1065113092 1065113122 1065113152
		FLICKSTICK BLACK ALUMINIUM	50/box	92 cm 122 cm 152 cm	1065116092 1065116122 1065116152
		FLICKSTICK ANTIQUE ALUMINIUM	50/box	92 cm 122 cm 152 cm	1065119092 1065119122 1065119152
●		VELCRO HOTEL PROFILE Inside frame fix, to reduce light leakage in combination with Looptape	120 mtr/bundle		3581601600
		LOOPTAPE	25 mtr/roll		3816202020
●		CONTRACT BENDING TOOL BASIC (without bending wheel)	1/each		2560000000
CS/CCS/FMS BENDING WHEEL		1/each		2561000000	
●		CS/FMS BENDING STRIPS For CS track, length: 90 cm (35,4")	1/set		8500000001
		CS/FMS BENDING STRIP FOR ELECTRIC POWERED BENDER Length 7 meter (23')	1/piece		5160100010
●		BENDING STAND Stand for contract bending tool	1/each		2560800000
●		ELECTRIC POWERED BENDER Available in 230V or 115V To create continuous curves and arches minimum radius 50 cm (20")	1/each		1060500000

CS	ARTICLE	PACKING UNIT	ART.NR
●	 <p>CS/CCS BENDING WHEELS For Electric Powered Bender. Complete set of 3 wheels.</p>	1/set	2560700000
●	 <p>ELECTRIC POWERED RAILCUTTER 230 Volt EU</p> <p>BLADE FOREST CUTTER NEW MODEL</p>	1/each	1061100000
●	 <p>FOREST LUBRICANT To lubricate components during assembly.</p>	1/each	5109010000

WARRANTY

Whether sophisticated electric curtain systems, decorative channel rod systems or plain tracks, the combination of high end materials and precise manufacturing make it possible for us to provide a 10 year warranty.



HEADOFFICE
20, DUBAI TEXTILE CITY,
AL AWIR, DUBAI - U.A.E

Tel : +971 43649675
sales@astyork.com

Visit our website
www.astyork.com



FOREST
DRAPERY HARDWARE