



**EASY
INSTALL**




**CORDED
CONTROL**

FOREST CCS Corded System

Heavy duty corded curtain track systems with separate internal cord channels; preventing cord sag and eliminating cord tangle.

THE WORLD
BEHIND
YOUR
CURTAINS



FOREST CCS® corded




PRODUCT INFORMATION

- Heavy duty cord operated system, with separate internal cord channels; preventing cord sag and eliminating cord tangle.
- Quick installation with "Smart Klick". brackets for wall and ceiling applications.
- Bendable; it can be curved and reversed curved with a 20 cm (8") radius or continuous curve.
- Heavy duty clickable carriers - 10 carriers on a breakaway strip - UV protected.
- Can also be used for Forest Easyfold and accordiafold drapery systems.
- Maximum fabric weight: 8 kg. per mtr (5,3 LBS per ft). Overall max weight, 50 kg.
- Colours available: white, grey & black.
- Track finish: chromated powder coating with a factory applied patented dry lubricant.
- Lengths available: 3.66 m (12'), 4.27 m (14'), 4.88 m (16'), 6.10 m (20').
- Same brackets as used with Klick System.
- Warranty: 10 years.

PROFILE

- Shown actual size 1:1
- Aluminium Extrusion
- Weight: 300 gram per mtr (3.22 ounce per ft) •
- Dimensions: 20 mm x 20 mm (3/4" x 3/4")



Easy installation
click - position - tighten




Clickable carrier



- 1 Carrier
- 2 CCS/FMS Master Carrier Underlap
- 3 Traverse cord
- 4 CCS/FMS Master Carrier Overlap
- 5 CCS Cord connector
- 6 CCS Track
- 7 Pulley

APPLICATIONS



BENDING / CURVING

The track can be curved and reversed curved using a 20 cm (8") radius. Continuous curving can be done with the electric powered bender or by special order from factory.




FOR USE IN

Hotels - motels - offices - healthcare - schools - residential or any location where a heavy duty cord traverse system is required.

MOUNTING BRACKETS

SK Ceiling Bracket




A) Min. 20 cm (8")



SK Aluminium Wall Bracket single


A) 7,5 cm (3") B) 6,3 cm (2,5")
A) 10 cm (4") B) 8,8 cm (3,5")



Smart Klick Cover
Cap for Aluminium
Wall bracket


SK Wall bracket aluminium double

A) 15 cm (6") B) 9,2 cm (3,6") C) 4,5 cm (1,8") B)
A) 20 cm (8") 9,2 cm (3,6") C) 9,5 cm (3,7")








SK Wall bracket aluminium triple








25 cm (10")











Brackets need to be placed every 50 - 60 cm (20"), depending on fabric weight.



CKS corded	CCS corded			CKS TRACK+ PARTS	ARTICLE	PACKING UNIT		ART.NR
•					CKS TRACK 4 mtr. 5 mtr. 5 mtr. 5 mtr. 6 mtr.	20/bundle	white white grey black white	1501001400 1501001500 1501003500 1501006500 1501001600
•					CARRIER ASYMMETRICAL "Clickable", offset, constructed of UV re- sistant plastic. 10 Carriers on a break-away strip. Can be clicked in after installation. Also symmetrical carriers available.	500/box	white grey black	101000100 0 101000300 0 101000600 0
•					CKS MASTER CARRIER UNDERLAP R/L Will go through curves.	25/box	white grey black	151560100 0 151560300 0 151560600 0
•					CKS MASTER CARRIER OVERLAP R/L Will go through curves.	25/box	white grey black	151570100 0 151570300 0 151570600 0
•					CKS PULLEY Reversible, for two way draw.	25/box	white grey black	153010100 0 153010300 0 153010600 0
•					CKS END PULLEY SHORT Especially for one-way closing of the curtain.	25/box	white grey black	153010101 1 153010301 1 153010601 1
•					CKS TRACK JOINER	10/box	white grey black	101840101 0 101840301 0 101840601 0
•					CKS CORD CONNECTOR Connects cord to the CKS Master Carrier. CKS CORD Connector Half Connects cord to the CKS Master Carrier.	100/bo x 100/bo	whit e black whit e	153030100 0 153030600 0 153031100 0
•	•				TRAVERSE CORD Polyester drapery cord designed for smooth slide, Ø 3.5 mm (0,14"), 16 ply. Suitable for CKS / CCS / CRS / DS-XL Corded	250 mtr/roll	white grey black	103040100 0 103040300 0 103040600 0


CKS corded	CCS corded			CCS TRACK+ PARTS	ARTICLE	PACKING UNIT		ART.NR
	•				CCS TRACK 3.66 mtr. 4.27 mtr. 4.88 mtr. 6.10 mtr. 6.10 mtr. 6.10 mtr.	10/bundle	white white white white grey black	300100136 6 300100142 7 300100148 8 300100161 0 300100361 0
	•				CCS CARRIER SMALL Contract click carrier patented, clickable. UV-resistant POM plastic.	250/box	white	300100661 0 3010101000
	•				FMS/CCS/MRS WHEEL CARRIER The wheel carrier goes smoothly over a splice.	100/box	white	5210101002
	•				CCS CORD MASTER CARRIER R/L UNDERLAP Multifunctional - reversible arm - will go through curves.	15/box	white grey gold black	301560100 0 301560300 0 301560200 0 301560600 0









	•				CCS CORD MASTER CARRIER R/L OVERLAP Multifunctional - reversible arm - will go through curves, will also fit stiffeners and cord connector.	15/box	white grey gold black	301570100 0 301570300 0 301570200 0
	•				EASYFLEX MASTER CARRIER 90 DEGREE LEFT for center draw	15/box	white black	0 301570600 0 481535109
	•				EASYFLEX MASTER CARRIER 90 DEGREE RIGHT for center draw	15/box	white black	0 481545109 0 481535609 0
	•				PROLONGED ARM FOR MASTER CARRIER 150 mm long 150 mm long 150 mm long 150 mm long Click On 150 mm long Click On 200 mm long Click On	15/box	white grey black white black white	301600100 0 301600300 0 301600600 0 950000101
•					CCS PULLEY Voor middensluitend pakket	25/box	white grey black	0 950000601 950000102
•					INSIDE WALL BRACKET For additional support anywhere the pulley meets the wall.	25/box		0 3022301000 303010100 0
•					END PULLEY SMALL Reversible, for non-stacking side on one way draw.	25/box	white grey black	0 303010300 0 303020100 0 303020300 0 303020600
•					CCS RAIL CONNECTOR	10/box	white grey black	0 251840100 0 251840300 0 251840600
	•				CCS CORD CONNECTOR Connects cord to the CCS master carrier.	100/box	white grey black	0 303030100 0 303030300 0 303030600
	•				CCS DOUBLE CORD CONNECTOR Connects cord to the CCS master carrier.	20/box	white grey black	0 303030101 0 303030301 0 303030601
•	•				TRAVERSE CORD Polyester drapery cord designed for strong smooth slide, Ø 3.5 mm (0,14"), 16 ply. Suitable for CKS/CCS/CRS/DS-XL Corded DS-XL Corded	250 mtr/roll	white grey black	0 103040100 0 103040300 0 103040600 0









CKS corded	CCS corded			ARTICLE	PACKING UNIT		ART.NR	
					CRS CHANNEL ROD CORDED Ø 28 mm (1.1") Extruded aluminium, chromated, powder coated incl. inlay strip	5.80 mtr/tube	white gold-an inox-an inox-pc antique-pc anthracite-pc chrome	5811281580-PC 5811282580 5811283580 5811283580-PC 5811289580-PC 5811286580-PC 5701287520
					CRS CARRIER ROUND	500/box	white grey black	5810101000 5810103000 5810106000
					EASYFOLD PLASTIC MASTER UNDERLAP	25/box	white grey black transparent	481520101 0 481520301 0 481520601 0
					FMS MASTER CARRIER UNDERLAP Multifunctional - arm is reversible for Click on stiffner	15/box	white grey black	481520100 0 521580101
					FMS MASTER CARRIER OVERLAP Multifunctional - arm is reversible for Click on stiffner	15/box	white grey black	521590101 0 521590301 0 521580601 521590601 0









CKS corded	CCS corded			ARTICLE	PACKING UNIT		ART.NR
				 EASYFOLD PLASTIC MASTER STRAIGHT/ OVERLAP	25/box	white grey black transparent	4815101010 4815103010 4815106010 4815101000
				 CRS CORDED END PULLEY COMPLETE	2/box	white gold inox-an inox-pc antique-pc taupe-pc anthracite-pc	6130201001-PC 6130202001 6130203001 6130203001-PC 6130209001-PC 6130204001-PC 6130206001-PC
•				 CRS CORDED CENTRE PULLEY COMPLETE	2/box	white inox-an inox-pc antique-pc taupe-pc anthracite-pc	6130251001-PC 6130253001 6130253001-PC 6130259001-PC 6130254001-PC 6130256001-PC 5815200006
•				 CRS RAIL CONNECTOR (6 CM)	10/box		
•				 CRS CORNER CONNECTOR (5 CM)	10/box		5815200007
	•			 CCS CORD CONNECTOR	100/box	white grey black	303030100 0 303030300 0 303030600 0
	•			 CCS DOUBLE CORD CONNECTOR	100/box	white grey black	303030101 0 303030301 0 303030601 0
•	•			 TRAVERSE CORD Polyester drapery cord designed for smooth slide, Ø 3.5 mm (0,14"), 16 ply. Suitable for CKS / CCS / CRS / DS-XL Corded	250 mtr/roll	white grey black	103040100 0 103040300 0 103040600 0
•				 CRS METAL ENDSTOP WITH SCREW for 20 mm (0,8") for 28 mm (1.1")	100/box		5816101000 5816101001
•				 CRS METAL ENDSTOP WITH SCREW-EYE for 20 mm (0,8") for 28 mm (1.1") Long, with ball bearings	100/box		581610200 0 581610200 1








CKS corded	CCS corded			ARTICLE	PACKING UNIT		ART.NR
				 DS-XL RAIL, 6 mtr (19"8")	24 mtr/bundle	white grey anthracite	391610160 0 391610360 0 391610660 0
				 ECONOMY CARRIER SMALL	500/box	whit e black	391010100 0 391010600 0
				 EASYFLEX PLASTIC MASTER CARRIER 90 DEGREE	15/box	white grey black	391670100 0 391670300 0 391670600 0
				 DS-XL ENDCAP CORDED	20/box	white grey black	391620100 0 391620500 0 391620600 0

					DS-XL TRACK CONNECTOR STRAIGHT	10/box		3916401000
					DS-XL CORD CONNECTOR	100/box	white black	153030100 0 153030600 0
					TRAVERSE CORD Polyester drapery cord designed for smooth slide, Ø 3.5 mm (0,14"), 16 ply. Suitable for CKS / CCS / CRS / DS-XL Corded	250 mtr/roll	white grey black	103040100 0 103040300 0 103040600 0
					DS-XL END STOP	100/box		3916001000

CKS corded	CCS corded			MOUNTING	ARTICLE	PACKING UNIT		ART.NR
					CEILING BRACKET Slides onto the track, powder coated. Regular duty	100/box	white grey black beige	101800100 0 101800300 0 101800600 0
					CEILING BRACKET WITH SLOT Slides onto the track, powder coated. Regular duty Slotted support makes fixing curtain track easier.	100/box	white grey black creme beige	101801200 0 101810100 0 101810300 0 101810600 0 101811100 0
					SMART KLICK CEILING BRACKET Powder coated, "clicks" onto track. Attach with VK-4 mm screw.	100/box	white grey black	101820100 0 101811200 0 101820300 0 101820600 0
					SMART KLICK CEILING BRACKET INCL. COVER CAP	100/box	white grey black	101820100 1 101820300 1 101820600 1
					COVER CAP FOR SMART KLICK BRACKETS Suitable for Smart Klick Wall-and Ceiling bracket.	100/box	white grey black anthracite	101920100 0 101920300 0 101920600 0
					FALSE CEILING BRACKET (METAL) For installation on to a suspended ceiling. The track can be fixed in any angle.	25/box		101920660 0 4519001000
					SMART KLICK DOUBLE CEILING BRACKET LARGE Distance between two tracks: 90 mm (3,5")	30/box	white	1018601000
					SMART KLICK DOUBLE CEILING BRACKET SHORT Distance between two tracks: 45 mm (1,8")			1018611000
					FSS MOUNTING BRACKET For concealed installation or ceiling installation in narrow spaces. Heavy Duty.	100/box		7160001000
					KS CEILING SPLICE BRACKET For ceiling installation only, powder coated.	50/box	white grey black	101850100 0 101850300 0 101850600 0
					KS KLICK-ON CEILING BRACKET WHITE For concealed installation without visible brackets, light weight use only.	100/box	white grey black	101830100 0 101830300 0 101830600 0

CKS coated	CCS coated			MOUNTING	ARTICLE	PACKING UNIT		ART.NR
•	•				SMART KLICK WALL BRACKET 3,5 cm "Klicks onto track, powder coated. One screw attachment. For light weight use only.	50/box	white grey black	102020103 5 102020303 5 102020603 5
					SMART KLICK WALL BRACKET 6 cm "Klicks onto track, powder coated. One screw attachment. For light weight use only.		white grey black	102020106 0 102020306 0 102020606
					SMART KLICK WALL BRACKET 7,5 cm "Klicks onto track, powder coated. One screw attachment. For light weight use only.		white grey black	1020201075 0 1020203075 0 1020206075
•	•				KS SMART KLICK WALL BRACKET 10 cm	20/bo	white	1020201100
					KS SMART KLICK WALL BRACKET 12,5 cm	x	grey white	1020203100 1020201125
					KS SMART KLICK WALL BRACKET 15 cm	20/bo	grey white	1020203125 1020201150
					KS SMART KLICK WALL BRACKET 20 cm	x	grey white	1020203150 1020201200
					KS SMART KLICK WALL BRACKET 25 cm	15/bo	grey white	1020203200 1020201250
					KS SMART KLICK WALL BRACKET 30 cm	x	grey white	1020203250 1020201300 1020203300
						15/bo	10 cm	1020601100
•					KS SMART KLICK WALL BRACKET DOUBLE For light weight use only.	15/box x	15 cm 20 cm	1020601150 1020601200
•					KS ADJUSTABLE WALL BRACKET, SINGLE	100/box 10/bo x	white grey	102080111 5 102080311 5
•					KS ADJUSTABLE WALL BRACKET, DOUBLE	50/box	white grey	102080119 5 102080319 5
•	•				ALUMINIUM SK WALL BRACKET 7,5 CM SINGLE. "Klicks onto track, powder coated.	20/box	white grey black	102030107 5 102030307 5 102030607
					ALUMINIUM SK AFSTANDSTEUN 10 cm ENKEL. "Klicks onto track, powder coated.	20/box	white grey black	102030110 0 102030310 0 102030610
					ALUMINIUM SK AFSTANDSTEUN 15 cm DUBBEL. "Klicks onto track, powder coated.	15/box	white grey black	102030115 0 102030315 0 102030615
					KS ALUMINIUM SK AFSTANDSTEUN 20 cm DUBBEL. "Klicks onto track, powder coated.	15/box	white grey black	102030120 0 102030320 0 102030620
					ALUMINIUM SK AFSTANDSTEUN 25 cm TRIPLE. "Klicks onto track, powder coated.	10/box	white grey black	102030125 0 102030325 0 102030525 0
•	•				SMART KLICK COVER CAP ALUMINIUM BRACKET UNIVERSAL	50/box	white grey black	102130100 0 102130300 0 102130600
					CRS CEILING BRACKET Ø 20/28 MM with slot	100/box	aluminium	5818003000
					CRS CEILING BRACKET Ø 20/28 MM with hole	100/box	white inox	581800310 1 581800310 3
					MRS CEILING BRACKET SMALL, 1,5 CM	4/box	chrome	5718407050

CKS corded	CCS corded			MOUNTING	ARTICLE	PACKING UNIT	ART.NR
					CRS SWIVEL FOR 28 MM ROD	100/box	5863001000
					CRS CEILING SUSPENSION BRACKET 4 CM (1.57") Ø 20/28 MM	2/box	white gold inox-an inox-pc black antique-pc anthracite-pc chrome 5818112000 5818122000 5818132000 5818132000-PC 5818162000-PC 5818192000-PC 5818152000-PC 5818012028
					CRS CEILING SUSPENSION BRACKET 5 CM (1.96") Ø 20/28 MM	2/box	white gold inox-an inox-pc antique-pc 5818112028 5818122028 5818132028 5818132028-PC 5818192028-PC
					CRS WALL BRACKET SINGLE 8 CM (3.15") Ø 28 MM	2/box	white gold inox-an inox-pc black antique-pc taupe-pc anthracite-pc chrome 5820080128 5820080228 5820080328 5820080328-PC 5820080628-PC 5820080928-PC 5820080428-PC 5820080528-PC 5820080728
					CRS WALL BRACKET SINGLE 12 CM (4.72") Ø 28 MM	2/box	white gold inox-an inox-pc black antique-pc taupe-pc anthracite-pc chrome 5820120128 5820120228 5820120328 5820120328-PC 5820120628-PC 5820120928-PC 5820120428-PC 5820120528-PC 5820120728
					CRS WALL BRACKET SINGLE 16 CM (6.29") Ø 28 MM	2/box	white gold inox-an inox-pc black antique-pc taupe-pc anthracite-pc 5820160128 5820160228 5820160328 5820160328-PC 5820160628-PC 5820160928-PC 5820160428-PC 5820160528-PC
					CRS WALL BRACKET DOUBLE 16 CM (6.29") Ø 28 MM	2/box	white gold inox-an inox-pc black antique-pc taupe-pc anthracite-pc 5822160128 5822160228 5822160328 5822160328-PC 5822160628-PC 5822160928-PC 5822160428-PC 5822160528-PC
					CRS WALL BRACKET EXTENSION 4 CM	10/box	white gold inox-an inox-pc black antique-pc anthracite-pc chrome 5815201030 5815202030 5815203030 5815203030-PC 5815206030-PC 5815209030-PC 5815205030-PC 5715107040
					CRS WALL BRACKET EXTENSION 8 CM		gold inox-an inox-pc black antique-pc chrome 5815102020 5815103020 5815103020-PC 5815106020-PC 5815109020-PC 5715107080
					CRS ADJUSTABLE BRACKET EXTENSION	10/box	white inox-an inox-pc black antique-pc 5815101070 5815103070 5815103070-PC 5815106070-PC 5815109070-PC
					DS-XL KLICK CEILING BRACKET	100/box	3918301000
					DS-XL CEILING SWIVEL BRACKET	100/box	white anthracite 381820023 0 381820523 0
					DS-XL WALL BRACKET 9 CM	5/box	white anthracite 382000101 8 382000501 8

CKS corded	CCS corded			BUIGONDERDELEN EN OVERIGE ITEMS	ARTICLE	PACKING UNIT	ART.NR
•	•				TENSION PULLEY White	25/box	1030501000
•	•				ASSEMBLY TOOL FOR CORD CONNECTOR	1/each	9510000027
•	•				CORD/CHAIN WALL MOUNT SAFETY BOX SINGLE	25/box	3645702000
•	•				CORD/CHAIN WEIGHT DESIGN 110 GR WIT	10/box	white grey black 303070100 0 303070300 0 303070600 0
•	•				CHANNEL ROD LUBRICANT SPRAY To lubricate components during assembly.	1/each	5109020000
•					COMPACT BENDING HOUSE, FOR KS/CKS	1/box	1050000000
					CKS BENDING WHEEL ALL-IN incl. strips (60cm)		1051000000
•	•				CONTINUOUS CURVER Add on tool for the Compact Bending Tool. Designed to create continuous curves and arches in any radius. Includes KS bending strip. For KS and CKS Track only.	1/box	1060200000
•					ELECTRIC POWERED BENDER For creating continuous curves. Minimum radius 50 cm.	1/box	230V 110V 106050000 0 106050000 1
					CKS REPLACEMENT BENDING STRIP For Compact Bending Tool. Length of strip: 60 cm (23")	1/each	1560100000
					For Continues Curver / electric bender. Length of strip: 7 mtr. (23")		1560300000
•					BENDING WHEELS For electric powered bender. Complete set of 3 wheels.	1/set	
					For KS/CKS track.		106070000 0
					For CS/CCS track.		256070000 0
	•	•			ELECTRIC POWERED RAILCUTTER 230 Volt EU BLADE FOREST CUTTER NEW MODEL	1/each	1061100000
						1/each	0
	•				CONTRACT BENDING TOOL For CS/CCS/FMS/CRS/MTS	1/each	2560200000
					CS/CCS/FMS Bending Wheel	1/eac	2561000000
		•			CCS BENDING STRIPS, COMPLETE SET For CCS track, length: 90 cm. FOR CCS ELECTRIC POWERED BENDER. Length 7 meter (23').	h 1/set 1/each	0 8500000000 85000000010 2
	•				BENDING STANDARD Standard for Contract bending tool 28 mm	1/each	2560800000
	•				BENDING WHEELS For Electric Powered Bender. Complete set of 3 wheels only for CS en CCS rail.	1/set	2560700000

BR0002EN231205