




Live Better



YORK
FURNISHING FABRICS SINCE 1988

FOREST
DRAPERY HARDWARE



-  Hey Google
-  Hey Siri
-  Hey Alexa



DOMOTICA
READY



APP
CONTROL



WIRELESS
REMOTE CONTROL



CORDED
CONTROL



MANUAL
CONTROL

FOREST DESIGN Series

THE WORLD
BEHIND
YOUR
CURTAINS

The DS-XL Series is designed to create visual impact and provides superior functionality and ease of use to the end-user. Available as manual, corded or motorised operated curtain track system.



reddot winner 2021

FOREST DS-XL® LED / Motorised



reddot winner 2021

This unique drapery system combines a stylish design with a unique way of lighting. Many designers will work with a lighting plan with three levels: High, especially if the ceiling is vaulted or has been finished with a special material; medium, which includes wall sconces; and low, which means floor lamps and other small lights. Our DS-XL® LED is the solution for a lighting plan on a higher level, integrating our track to create an overall glow on the ceiling.

The DS-XL® LED is an elegant system for all types of medium weight draperies. Available length up to 6 meter in 2 colours: timeless white and in a stylish anthracite finish, making it suitable to fit in every design.

Create privacy

It also offers the possibility to illuminate the backside and/or the curtain track itself enabling a higher level of privacy.

SUSTAINABLE LIGHTING

Traditional ways of lighting are very wasteful. Most of the power is wasted in the form of heat. This is why there has been a big push to change the environmental impact of lighting. Another benefit of LED lighting is sustainability and eco-friendliness. The system doesn't use toxic chemicals and it can last for years. It has a life span of approximately 30.000 hours.

PRODUCT INFORMATION

- Hand drawn or motorised curtain track system
- Designer track for lighting and curtain track combined.
- Colours available: white and anthracite.
- Especially designed for Forest Wave application.
- Simple electrical installation by means of clickable connectors.
- Ceiling brackets and wall brackets available.
- Supplied with 1 LED strip.
- LED Colour temperature: warm white 3000.
- Low energy consuming LED strip, eco friendly.
- Dimmable LED strips (120 LED's per meter).
- LED lifespan of 30.000 hours.
- No soldering, clickable components for easy installation without the need for an electrician.
- Power: 10 watt/mtr.
- Energy label A+.
- The DS-XL® LED Motorised system can be integrated into any building automation system.
- The DS-XL® LED motorised track system can only be used with a Forest Shuttle® S motor.
- Warranty: 10 years (LED-lighting 2 years).



DS-XL® LED MOTORISED

The DS-XL® LED Motorised track system is designed to create visual impact and provides superior functionality and ease of use to the end-user. Controlling the curtains and integrated LED-lighting by remote control or building automation system guarantees a unique experience of atmosphere and comfort in any room.



RED DOT AWARD



The DS-XL® LED Motorised track system has been awarded for the Red Dot Award 2021 for its outstanding product design. The Red Dot Award is one of the most internationally known and sought-after awards in the design industry.



reddot winner 2021

SPECIFICATIONS

- Shown actual size 1:1
- Size LED 61 x 20 mm
- Size LED Motorised 61 x 25 mm
- Weight LED 580 gr/meter
- Weight LED Motorised 675 gr/meter •
- Aluminium extrusion
- Colours available: white or anthracite



FOREST DS-XL® LED/Motorized Control Options

Our wide range of controls make finding a fit for your home even easier; controlling the curtains by hand, remote or even by building automation system. With the remote you can control the curtains in any position you like. Controlling the motorised curtain system by your smartphone or tablet, you can create and schedule customised room scenes that allow your curtains to operate on their own throughout the day.



FOREST DIAMOND SENSE REMOTE

15 or 2 Channel Remote control. Control up to 15 systems individually and in group by integrated timer function or manual. Auto-On mode, when holding hand above it, the integrated LED light will automatically come on. Radio control, range up to 30 meters. Including magnetic wall support.



APP CONTROL VIA FOREST WIFI-DONGLE

With the Shuttle® Wi-Fi dongle, you can control your motorised curtains with your mobile device by the Forest Connect app or even by voice command with the easy integration in for example Google Home or Amazon Echo without the need for an additional hub or gateway.



Scan for more info

APP CONTROL VIA FOREST WIRELESS CONNECTOR

The Forest Wireless Connector provides an easy solution to make Forest motorised roman blinds 'smart.' When combined with a smart plug, you can effortlessly control the roman blinds through a mobile app. Controlling the motorised blind system by your smartphone or tablet, you can create and schedule customized room scenes that allow your blinds to operate on their own throughout the day.

If you prefer to use the Forest Connect App, you can opt for Forest's smart plug. If you wish to operate your blinds with Apple HomeKit, Amazon Alexa, or Google Assistant, you will need a compatible third-party smart plug that works with these smart home apps. This RF device can also be seamlessly integrated into the most common building management systems, including systems with dry contacts..



BUILDING AUTOMATION / HOTEL CONTROL

The DS-XL® System can be connected to any Building Automation system, by relay control.

SMART DEVICE CONNECTIVITY

















	Shuttle S/M/L	Shuttle S/M/L with Z-Wave	Shuttle iOn	Shuttle AC	Forest Connect app	Google Home	Apple Homekit	Amazon Alexa	Google Assistant	Voice control
Forest Wireless Connector One way transmitter to control curtains by third party apps or by Domotics. (433Mhz)	•	•	•1	•1	•1	•1	•1	•1	•1	•1
Forest Wi-Fi Dongle in combination with Forest Connect app	•1	•	•	•	•	•	•	•	•	•
Smartwares Controller in combination with HomeWizard lite app (433 Mhz)	•	•	•	•	•	•	•	•	•	•
Homey in combination with Homey app	•	•	•	•	•	•	•	•	•	•
FIBARO System in combination with FIBARO Home 2 Center app	•	•	•	•	•	•	•	•	•	•
Samsung SmartThings Hub in combination with Samsung SmartThings app	•	•	•	•	•	•	•	•	•	•
230 Volt hard-wired building 3 management system	•	•	•	•	•	•	•	•	•	•
1) In combination with a smart plug 2) Only with FIBARO Roller Shutter 3 / Walli Roller Shutter 3) In combination with an AC Control Set	•	•	•	•	•	•	•	•	•	•





















WORKS WITH















* Only works with actor.











Forest DS-XL® (LED) is compatible with many other Building Automation systems, thanks to its modular construction. A competitive advantage over other motorised drapery systems in the world!

					DS-XL LED MOTORISED	DS TRACK + COMPONENTS	ARTICLE	PACKING UNIT		ART.NR
•							DS TRACK MATT WHITE DS TRACK WHITE DS TRACK GREY DS TRACK ANTHRACITE DS TRACK MATT BLACK DS TRACK BLACK	120 mtr/bundle 80 mtr/bundle 100 mtr/bundle 120 mtr/bundle 140 mtr/bundle 120 mtr/bundle 120 mtr/bundle 120 mtr/bundle	6 mtr 4 mtr 5 mtr 6 mtr 7 mtr 6 mtr 6 mtr 6 mtr	2001001600-MAT 2001001400-G 2001001500-G 2001001600-G 2001001700-G 2001003600-G 2001005600-G 2001006600-MAT 2001006600-G
•							TRACK CONNECTOR For use of DS / KS / CKS	10/box	white grey black	1018401010 1018403010 1018406010
•							INTERNAL DS PLASTIC TRACK CONNECTOR Can be inserted in the track, but still allows the carrier to run over.	50/box	white	2018400000-G
•							CARRIER ASYMMETRICAL Clickable, UV-resistant plastic, 10 carriers on a breakaway strip. (also symmetrical carriers available).	500/box	white grey black	101000100 0 101000300 0
•							CARRIER SYMMETRICAL	500/box	white	101000600 0
•							STOP CARRIER Clickable, UV-resistant plastic	250/box	white grey black	101010100 1010201000 1010203000 1010206000
•							DS TWIST ENDSTOP WITH CAP UV-resistant plastic with metal plate. "Twists" into track	100/box	white grey black	2016301000 2016303000 2016306000
•							DS ENDCAP SHORT + SCREW for one-way draw curtains	100/box	white grey anthracite black	2006001000 2006003000 2006005000 2006006000
•							DS ENDCAP UNIVERSAL + SCREW	100/box	white grey anthracite black	4816101000 4816103000 4816105000 4816106000
•							CEILING BRACKET Slides onto the track, powder coated. Regular duty	100/box	white grey black	1018001000 1018003000 1018006000
•							CEILING BRACKET WITH SLOT Slides onto the track, powder coated. Regular duty Slotted support makes fixing curtain track easier	100/box	white grey black	1018101000 1018103000 1018106000
•							SMART KLICK CEILING BRACKET Powder coated, "clicks" onto track. Attach with VK-4 mm screw. SMART KLICK CEILING BRACKET INCL. COVER CAP COVER CAP FOR SMART KLICK BRACKETS Suitable for Smart Klick Wall-and Ceiling bracket	100/box	white grey black white grey anthracite black white grey anthracite black	1018201000 1018203000 1018206000 1018201001 1018203001 1018204001 1018206001 1019201000 1019203000 1019204000 1019206000 4519001000
•							FALSE CEILING BRACKET (METAL) For installation on to a suspended ceiling. The track can be fixed in any angle.	25/box		
•							SMART KLICK WALL BRACKET 3,5 cm "Klicks onto track, powder coated. One screw attachment. For light weight use only. SMART KLICK WALL BRACKET 6 cm "Klicks onto track, powder coated. One screw attachment. For light weight use only. SMART KLICK WALL BRACKET 7,5 cm "Klicks onto track, powder coated. One screw attachment. For light weight use only.	50/box	white grey black white grey black white grey black	102020103 5 102020303 5 102020603 5 102020106 0 102020306 0
•							ALUMINIUM SK WALL BRACKET 7,5 CM SINGLE. "Klicks onto track, powder coated. ALUMINIUM SK AFSTANDSTEUN 10 cm ENKEL. "Klicks onto track, powder coated. ALUMINIUM SK AFSTANDSTEUN 15 cm DUBBEL. "Klicks onto track, powder coated. KS ALUMINIUM SK AFSTANDSTEUN 20 cm DUBBEL. "Klicks onto track, powder coated. ALUMINIUM SK AFSTANDSTEUN 25 cm TRIPLE. "Klicks onto track, powder coated.	20/box 20/box 15/box 15/box 15/box 10/box	white grey black white grey black white grey black white grey black white grey black	102020606 0 102020107 5 102020307 5 102020607 5 102030107 5 102030307 5 102030607 5
•							SMART KLICK COVER CAP ALUMINIUM BRACKET UNIVERSAL	50/box	white grey black	102030110 0 102030310 0 102030610 0

					DS-XL LED MOTORISED	DS-XL/ DS-XL LED/ DS-XL (LED) MOTORISED + COMPONENTS	ARTICLE	PACKING UNIT		ART.NR
							DS-XL TRACK, 6 mtr	24mtr/bundle	white grey anthracite	391610160 0 391610360 0 391610560 0
							DS-XL RAIL, 4 mtr		white anthracite	391610560 0
							DS-XL TRACK MOTORISED, 6 mtr In combination with Shuttle L motor	6mtr/bundle	white anthracite	591750140 0
							DS-XL LED TRACK MANUAL	6mtr/length	white anthracite	591750640 0 591750160 0 591550160 0 591750560 0
							DS-XL LED TRACK MOTORISED, 6 mtr. In combination with Shuttle S motor & the Shuttle M adaptor	6mtr/length	white anthracite	591550160 0 591550560 0 591550560 0
							ECONOMY CARRIER SMALL	500/box	white black	391010100 0 391010600 0
							END STOP DS-XL (LED) Motor DS-XL (LED) Motor	100/box	matt-white matt-black	888000100 0 888000600 0
							DS-XL ENDCAP	20/box	white grey black	391610100 0
							DS-XL ENDCAP CORDED	20/box	white grey black	391610300 0 391610600 0
							DS-XL LED ENDCAP	20/box	white black	391620100 0
							DS-XL LED END CAP FLAT	20/box	white black	391650100 0 391620300 0 391650600 0 391620600 0
							DS-XL KLIICK CEILING BRACKET	100/box		3918301000 0 591650100 0
							DS-XL CEILING SWIVEL BRACKET	100/box	white anthracite	381820023 0 391650600 0 381820529 0
							WALL BRACKET 9 CM	5/box	white anthracite	382000101 0
							WALL BRACKET EXTENSION 4 CM	10/box	white anthracite	3815201030 0 3815205030-PC 0 382000501 0
							DS-XL TRACK CONNECTOR STRAIGHT	10/box		3916401000 0
							DS-XL TRACK CONNECTOR 90°	10/box		3916401001 0
							DS-XL LED STRIP 3045 3000K/ 24V/ 10W/m 8mm width	50mtr/roll		5917503055 0
							DS-XL LED CONNECTOR CABLE 2MTR EXTENSION CABLE 35 cm / 24Vdc 35 cm / 24Vdc 200cm / 24Vdc 200cm / 24Vdc	1/piece	white black white black	5917502431- A 5917502432- A 5917502421- A
							DS-XL LED DIMMER In combination with Shuttle M adaptor To control LED light via Forest remote/wall switch	1/box	white black	5917532422- A 591753647 0
							DS-XL LED WIFI DIMMER In combination with Shuttle M adaptor To control LED light via Forest Connect App	1/box	white black	591754100 0 591754600 0
							DS-XL LED STRIP 3045 POWER SUPPLY CABLE 35 cm / 24Vdc 35 cm / 24Vdc 200cm / 24Vdc 200cm / 24Vdc DS-XL LED Dimmer accessory for Forest remote	1/piece	white black white black	591750243 1 591750243 2 591750242 1 591750242 2

					DS-XL LED MOTORISED	DS-XL/ DS-XL LED/ DS-XL (LED) MOTORISED + COMPONENTS	ARTICLE	PACKING UNIT	ART.NR
					•	•	 DS-XL LED STRIP 3045 EXTENSION CABLE 200cm / 24Vdc DS-XL LED Dimmer accessory	1/piece white black	591751242 1 591751242 2
					•	•	 DS-XL LED STRIP CONNECTOR PLUG DS-XL LED Dimmer accessory	1/piece	5917524515
					•	•	 DS-XL LED STRIP 3045 CONNECTOR 90° DS-XL LED Dimmer accessory	10/box 24v	5917502491
					•	•	 ADAPTOR SET SHUTTLE M (icm DS-XL LED Dimmer) Incl. cable & holder EU 0.50 mtr EU 3.00 mtr UK 0.50 mtr USA 0.50 mtr EU 0.50 mtr	1/box white white white white black	520100200 2 520100200 3 520100200 4
					•		 DS-XL LED STRIP ANTHRACITE To cover the LED-channel when not in use	6mtr/bundle anthracite	520100200 7 520100600 2
						•	 DS-XL LED STRIP OPAAL - MIDDLE	6mtr/bundle	5916509901 0
					•	•	 DS-XL LED STRIP MOUNTING DEVICE	1/box	5916509999
					•	•	 DS-XL LED MOTORISED MOTOR PULLEY, 6 mtr	1/box white black	591701100 0 591707600 0
					•	•	 DS-XL LED MOTORISED RETURN PULLEY, 6 mtr	1/box white	591701110
					•	•	 FMS TRANSPORT BELT Toothed belt, to be installed inside the FMS Track	100mtr/roll black	8105501000 591701610
					•	•	 FMS BELT CONNECTOR Connects the Master Carrier with the transport belt	50/box white grey black	510301150 0 510301350 0
					•	•	 MRS BELT CONNECTOR Connects the Master Carrier with the transport belt	25/box	510301650 0 480571150

0

					DS-XL LED MOTORISED	FOREST WAVE COMPONENTS	ARTICLE	PACKING UNIT	ART.NR
					•		 WAVE DS ENDCAP + SCREW To be screwed with an Easywave carrier, made of UV-resistant plastic for wave 	100/box white grey black	481610100 0 481610300 0
					•	•	 EASYFLEX MASTER CARRIER 90 DEGREE LEFT for center draw in combination with master carrier right 	25/box white grey black	481610600 0 481535109
					•	•	 EASYFLEX MASTER CARRIER 90 DEGREE RIGHT for center draw in combination with master carrier left 	15/box white grey black	481535309 0 481535609
					•	•	 EASYFLEX PLASTIC MASTER CARRIER 90 DEGREE 	15/box white	481536109
					•	•	 WAVE ADJUSTABLE MASTER CARRIER For use with wave pleat curtains (Easyflex) 	25/box white black	0 481545309 481545609

0

481546109

0

















391670100

0

391670300

391670600

0

					DS-XL LED MOTORISED	CONTROL COMPONENTS + OTHER ITEMS	ARTICLE	PACKING UNIT	ART.NR
							DS-XL CORD CONNECTOR	100/box white black	153030100 0 153030600 0
							TRAVERSE CORD Polyester drapery cord designed for strong smooth slide, Ø 3.5 mm (0.14"), 16 ply. Suitable for CKS/CCS/CRS/DS-XL Corded	250 mtr/roll white grey black	103040100 0 103040300 0 103040600 0
							TENSION PULLEY	25/box white	0030501000
							CORD/CHAIN WALL MOUNT SAFETY BOX SINGLE	25/box	3645702000
							CORD/CHAIN WEIGHT DESIGN 110 GR WIT	10/box white grey black	303070100 0 303070300 0
							FOREST DIAMOND SENSE REMOTE CONTROL	1/box white black	303070600 0 520109147
							FOREST WIFI DONGLE Incl. cable WiFi 2.4GHz Power supply 12V DC 300mA max USB power 5V DC 1000mA max Control the curtains with Forest Connect App Bidirectioneel	1/box white black	0 520100228 0 520109647 520100628 0
							FOREST WIRELESS CONNECTOR Incl.15cm USB cable, excl. usb-adaptor One way transmitter to control curtains by third party apps (i.e Google/Apple /Amazon) or by Domotics	1/box white	5201002270
							FOREST WIRELESS CONNECTOR USB ADAPTOR	1/box EU UK AU US	5201002271- EU 5201002271- UK 5201002272- AU 5201002274- US
							FOREST SMART PLUG WHITE The Forest Smart Plug allows App control via the Forest Connect App (the Forest Wireless Connector is required)	1/box EU UK AU US	5201001952- 5201001953- UK 5201001954- AU
							FOREST WIRELESS WALL SWITCH 2-channel wall switch Sizes: 8.5 x 8.5 x 1 cm	1/box white black	5201001955- UK 5201001954- AU
									5201001955- US 5201001480 5201006480
						BENDING COMPONENTS	ARTICLE	PACKING UNIT	ART.NR
							COMPACT BENDING HOUSE For DS / KS / CRS DS BENDING WHEEL ALL-IN incl. strips	1/piece 1/piec	1050000000 205000000
							(60cm) ELECTRIC POWERED BENDER For creating continuous curves. Minimum radius 50 cm.	e 1/box 230 V 110 V	0 106050000
							DS BENDING WHEELS Set of 3 bending wheels for electric powered bender. Only suitable for DS track.	1/set	0 1060500000
							DS T-BENDING STRIP SET ELECTRIC For DS electric powered bender, Length of 60 cm.	1/piece 7m	8500000000
							ELECTRIC POWERED RAILCUTTER 230 Volt EU BLADE FOREST CUTTER NEW MODEL	1/piece 1/piece	1061100000 1061200001